



PORTABLE SAMPLING PUMP

The AGH1000B sampling pump is a hand-held gas sampling pump that is mainly used to assist the gas collection of portable gas detectors. With the intrinsically safe design, it can be used in explosive hazardous areas; large-capacity battery makes it a long operation time.

Features

- Compatible with the gas detector for confined space usage.
- A replaceable filter design that blocks dust, water to protects the gas detector.
- Blocking alarm function, effectively reminding the sampling blockage.
- Quick-plug connection design for a quick connection with the detector.
- Long stainless steel sampling probes are suitable for a variety of confined spaces.
- Intrinsically safe design for hazardous areas.

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Красноярск (391)203-40-90
Курск (4712)77-13-04
Липецк (4742)52-20-81
Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новосибирск (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Казахстан (772)734-952-31


Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-82-93



Specifications

Function	
sampling flow	500ml/min
indicator light	status, charge
Environment	
ingress protection	IP55
operating temperature	-10℃~55℃
operating humidity	10~95%RH non-condensing
operating pressure	80-120kPa
Electrical	
battery	rechargeable lithium battery, 3.7V, 2200mAh
working time	≥12h
Structure	
body material	ABS
sampling pipe	stainless steel
weight	about 0.24kg
dimensions	410*35*38mm(H*W*D)
Certificate	
EX	Exib II CT4 Gb

Dimensions





PORTABLE GAS DETECTOR

In the daily production of petrochemical engineering, steel, and chemical engineering industries, workers often encounter with flammable and toxic gases of various sorts, and accidents are easy to take place without proper safety protection. As a kind of personal safety protection instrument, portable gas detector plays an important role in industrial production safety.

The portable gas detector is small in size and easy to carry. It can be used for workshop routing inspection for side leakage, as well as in confined spaces such as flame operation inspection.



diffusion type gas detector




build-in pump gas detector



external pump gas detector

SELECTION GUIDE



QUICK SELECTION TABLE 4 – PORTABLE GAS DETECTOR

Description	AGH5100	AGH5100M	AGH6100	AGH6100F	AGH6200	AGH6200F	AGH8100	AGH8200
The number of sensors								
1	●	●	-	●	-	●	●	●
4 in 1	-	-	-	-	●	-	-	-
1~4, optional	-	-	●	-	-	-	-	-
Gas detected								
combustible gas-catalytic	-	-	●	●	●	●	-	-
combustible gas-semiconductor	-	-	-	-	-	-	●	●
toxic gas-electrochemical	●	●	●	-	●	-	-	-
toxic gas-PID	-	-	●	-	-	-	-	-
toxic gas-infrared	-	-	●	-	-	-	-	-
Sampling method								
diffusion	●	●	●	●	●	●	-	●
built-in pump	-	-	-	-	-	-	●	-
Certificates								
CPA	●	●	●	●	●	●	●	-
EX	●	●	●	●	●	●	●	●
ATEX	-	-	●	●	-	-	-	-
CCCF	-	-	-	-	-	●	-	-

QUICK SELECTION TABLE 5 – GAS DETECTED

Gas		Measure Range	Principle	Resolution	AGH5100	AGH5100M	AGH6100	AGH6100F	AGH6200	AGH6200F	AGH8100	AGH8200
Combustible gas	EX	0-100%LEL	catalytic	1%LEL	-		●	●	●	●	-	-
Methane	CH ₄	0-10000µmol/mol	Semiconductor	1µmol/mol	-		-	-	-	-	●	●
Oxygen	O ₂	0-30%VOL 0-25%VOL	Electrochemical	0.1%VOL	●	●	●	-	●	-	-	-
Carbon monoxide	CO	0-1000µmol/mol	Electrochemical	1µmol/mol	●	●	●	-	●	-	-	-
Hydrogen sulphide	H ₂ S	0-100µmol/mol	Electrochemical	1µmol/mol	●	●	●	-	●	-	-	-
Chlorine	CL ₂	0-10µmol/mol	Electrochemical	0.1µmol/mol	●	-	●	-	-	-	-	-
Sulphur dioxide	SO ₂	0-20µmol/mol	Electrochemical	0.1µmol/mol	●	●	●	-	-	-	-	-
Ammonia	NH ₃	0-100µmol/mol	Electrochemical	1µmol/mol	●		●	-	-	-	-	-
Nitric oxide	NO	0-250µmol/mol	Electrochemical	1µmol/mol	●		●	-	-	-	-	-
Nitrogen dioxide	NO ₂	0-20µmol/mol	Electrochemical	0.1µmol/mol	●		●	-	-	-	-	-
Hydrogen chloride	HCL	0-30µmol/mol	Electrochemical	0.1µmol/mol	●		●	-	-	-	-	-
Ozone	O ₃	0-1µmol/mol	Electrochemical	0.01µmol/mol	●		●	-	-	-	-	-
Ethylene oxide	C ₂ H ₄ O	0-20µmol/mol	Electrochemical	0.1µmol/mol	●		●	-	-	-	-	-
Formaldehyde	CH ₂ O	0-20µmol/mol	Electrochemical	0.1µmol/mol	●		●	-	-	-	-	-
Methanol	CH ₃ OH	0-20µmol/mol	Electrochemical	0.1µmol/mol	●		●	-	-	-	-	-
Phosphine	PH ₃	0-5µmol/mol	Electrochemical	0.1µmol/mol	●		●	-	-	-	-	-
Hydrogen	H ₂	0-1000µmol/mol	Electrochemical	1µmol/mol	●		●	-	-	-	-	-
Fluorine	F ₂	0-1µmol/mol	Electrochemical	0.01µmol/mol	●		●	-	-	-	-	-
Hydrogen fluoride	HF	0-10µmol/mol	Electrochemical	0.1µmol/mol	●		●	-	-	-	-	-
Hydrogen cyanide	HCN	0-50µmol/mol	Electrochemical	0.1µmol/mol	●		●	-	-	-	-	-
Phosgene	COCL ₂	0-1µmol/mol	Electrochemical	0.01µmol/mol	●		●	-	-	-	-	-
Arsenic hydride	AsH ₃	0-1/20µmol/mol	Electrochemical	0.01µmol/mol	●		●	-	-	-	-	-
Silane	SiH ₄	0-50µmol/mol	Electrochemical	0.1µmol/mol	●		●	-	-	-	-	-
Acrylonitrile	C ₃ H ₃ N	0-20µmol/mol	Electrochemical	0.1µmol/mol	●		●	-	-	-	-	-
Carbon disulfide	CS ₂	0-20µmol/mol	Electrochemical	0.1µmol/mol	●		●	-	-	-	-	-
Ethanol	C ₂ H ₅ OH	0-20µmol/mol	Electrochemical	0.1µmol/mol	●		●	-	-	-	-	-
Methane	CH ₄	0-5%/100%VOL	Infrared	0.1%VOL	-		●	-	-	-	-	-
Carbon dioxide	CO ₂	0-5%/100%VOL	Infrared	0.1%VOL	-		●	-	-	-	-	-
Toluene	C ₇ H ₈	0-20µmol/mol	PID	0.1µmol/mol	-		●	-	-	-	-	-
Xylene	C ₈ H ₁₀	0-20µmol/mol	PID	0.1µmol/mol	-		●	-	-	-	-	-
Benzene	C ₆ H ₆	0-20µmol/mol	PID	0.1µmol/mol	-		●	-	-	-	-	-
Acetic acid	C ₂ H ₄ O ₂	0-1000µmol/mol	PID	1µmol/mol	-		●	-	-	-	-	-
Volatile organic compounds	VOC	0-20µmol/mol 0-1000µmol/mol	PID	0.1µmol/mol 1µmol/mol	-		●	-	-	-	-	-

Note: 1, Any gas that not mentioned above, just contact AIYI Technologies for further information; 2, 1µmol/mol=1ppm





Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-96-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

<https://aiyi.nt-rt.ru/> || aya@nt-rt.ru